

NDVK

NORWEGIAN DOOR-AND
WINDOW-CONTROL

CERTIFIED

Certificate

It's confirm that

ARBO Windows Ltd, Latvia

Fulfil the requirements according to
NORWEGIAN DOOR- AND WINDOW CONTROL

NDVK-Rules

The certificate include all production of windows and doors,
and include the following products:

Window- and door-types:

- 76/105 Top Swing
- 76/105 Sidehung
- 76/105 Balcony door
- IV68 Slidingdoor
- IV78 Tilt&turn window

Oslo date: 02.01.2018



NDVK chairman

Date of issue first time: 22.06.2016

Valid thru: 31.12.2018

Certificate NO.: 070

NDVK

NORWEGIAN DOOR-AND
WINDOW-CONTROL

CERTIFIED

Quality management in the production of windows and door fulfils the requirement to **NDVK Rules:**

**Requirements for doors and windows
and
Rules for certificate and kontrollbesøk .**

The product at page 1 fulfil the requirement according to:

Characteristic	Classification/value										NDVK req.	
Air permeability	1		2		3		4				4	
Class	1		2		3		4					
Max. test pressure (Pa)	150		300		600		600					
Watertightness	1 A	2 A	3 A	4 A	5 A	6 A	7 A	8 A	9 A	E	9A* 7A or 7B**	
Class - Non-shielded (A)	1 A	2 A	3 A	4 A	5 A	6 A	7 A	8 A	9 A	E		
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)	(450)	(600)	(>600)		
Class - Shielded (B)	1 B	2 B	3 B	4 B	5 B	6 B	7 B					
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)					

* Requirement for windows and balcony-doors

** Requirement for Pedestrian doors